

AP-1500/ 2400 Gal. Pump Tank Calibration Chart

Height (in.)	Volume (Gal)						
92	2,394.97	81	2,108.62	69.75	1,815.75	58.5	1,522.89
91.75	2,388.47	80.75	2,102.11	69.5	1,809.25	58.25	1,516.38
91.5	2,381.96	80.5	2,095.60	69.25	1,802.74	58	1,509.87
91.25	2,375.45	80.25	2,089.09	69	1,796.23	57.75	1,503.37
91	2,368.94	80	2,082.59	68.75	1,789.72	57.5	1,496.86
90.75	2,362.43	79.75	2,076.08	68.5	1,783.21	57.25	1,490.35
90.5	2,355.93	79.5	2,069.57	68.25	1,776.71	57	1,483.84
90.25	2,349.42	79.25	2,063.06	68	1,770.20	56.75	1,477.33
90	2,342.91	79	2,056.55	67.75	1,763.69	56.5	1,470.83
89.75	2,336.40	78.75	2,050.05	67.5	1,757.18	56.25	1,464.32
89.5	2,329.89	78.5	2,043.54	67.25	1,750.67	56	1,457.81
89.25	2,323.38	78.25	2,037.03	67	1,744.17	55.75	1,451.30
89	2,316.88	78	2,030.52	66.75	1,737.66	55.5	1,444.79
88.75	2,310.37	77.75	2,024.01	66.5	1,731.15	55.25	1,438.29
88.5	2,303.86	77.5	2,017.50	66.25	1,724.64	55	1,431.78
88.25	2,297.35	77.25	2,011.00	66	1,718.13	54.75	1,425.27
88	2,290.84	77	2,004.49	65.75	1,711.63	54.5	1,418.76
87.75	2,284.34	76.75	1,997.98	65.5	1,705.12	54.25	1,412.25
87.5	2,277.83	76.5	1,991.47	65.25	1,698.61	54	1,405.75
87.25	2,271.32	76.25	1,984.96	65	1,692.10	53.75	1,399.24
87	2,264.81	76	1,978.46	64.75	1,685.59	53.5	1,392.73
86.75	2,258.30	75.75	1,971.95	64.5	1,679.08	53.25	1,386.22
86.5	2,251.80	75.5	1,965.44	64.25	1,672.58	53	1,379.71
86.25	2,245.29	75.25	1,958.93	64	1,666.07	52.75	1,373.21
86	2,238.78	75	1,952.42	63.75	1,659.56	52.5	1,366.70
85.75	2,232.27	74.75	1,945.92	63.5	1,653.05	52.25	1,360.19
85.5	2,225.76	74.5	1,939.41	63.25	1,646.54	52	1,353.68
85.25	2,219.26	74.25	1,932.90	63	1,640.04	51.75	1,347.17
85	2,212.75	74	1,926.39	62.75	1,633.53	51.5	1,340.66
84.75	2,206.24	73.75	1,919.88	62.5	1,627.02	51.25	1,334.16
84.5	2,199.73	73.5	1,913.38	62.25	1,620.51	51	1,327.65
84.25	2,193.22	73.25	1,906.87	62	1,614.00	50.75	1,321.14
84	2,186.72	73	1,900.36	61.75	1,607.50	50.5	1,314.63
83.75	2,180.21	72.75	1,893.85	61.5	1,600.99	50.25	1,308.12
83.5	2,173.70	72.5	1,887.34	61.25	1,594.48	50	1,301.62
83.25	2,167.19	72.25	1,880.84	61	1,587.97	49.75	1,295.11
83	2,160.68	72	1,874.33	60.75	1,581.46	49.5	1,288.60
82.75	2,154.17	71.75	1,867.82	60.5	1,574.96	49.25	1,282.09
82.5	2,147.67	71.5	1,861.31	60.25	1,568.45	49	1,275.58
82.25	2,141.16	71.25	1,854.80	60	1,561.94	48.75	1,269.08
82	2,134.65	71	1,848.29	59.75	1,555.43	48.5	1,262.57
81.75	2,128.14	70.75	1,841.79	59.5	1,548.92	48.25	1,256.06
81.5	2,121.63	70.5	1,835.28	59.25	1,542.42	48	1,249.55
81.25	2,115.13	70.25	1,828.77	59	1,535.91	47.75	1,243.04
		70	1,822.26	58.75	1,529.40	47.5	1,236.54

AP-1500/ 2400 Gal. Pump Tank Calibration Chart

47.25	1,230.03	36	937.16	24.75	644.30	13.5	351.44
47	1,223.52	35.75	930.66	24.5	637.79	13.25	344.93
46.75	1,217.01	35.5	924.15	24.25	631.28	13	338.42
46.5	1,210.50	35.25	917.64	24	624.78	12.75	331.91
46.25	1,203.99	35	911.13	23.75	618.27	12.5	325.40
46	1,197.49	34.75	904.62	23.5	611.76	12.25	318.90
45.75	1,190.98	34.5	898.12	23.25	605.25	12	312.39
45.5	1,184.47	34.25	891.61	23	598.74	11.75	305.88
45.25	1,177.96	34	885.10	22.75	592.24	11.5	299.37
45	1,171.45	33.75	878.59	22.5	585.73	11.25	292.86
44.75	1,164.95	33.5	872.08	22.25	579.22	11	286.36
44.5	1,158.44	33.25	865.57	22	572.71	10.75	279.85
44.25	1,151.93	33	859.07	21.75	566.20	10.5	273.34
44	1,145.42	32.75	852.56	21.5	559.69	10.25	266.83
43.75	1,138.91	32.5	846.05	21.25	553.19	10	260.32
43.5	1,132.41	32.25	839.54	21	546.68	9.75	253.82
43.25	1,125.90	32	833.03	20.75	540.17	9.5	247.31
43	1,119.39	31.75	826.53	20.5	533.66	9.25	240.80
42.75	1,112.88	31.5	820.02	20.25	527.15	9	234.29
42.5	1,106.37	31.25	813.51	20	520.65	8.75	227.78
42.25	1,099.87	31	807.00	19.75	514.14	8.5	221.27
42	1,093.36	30.75	800.49	19.5	507.63	8.25	214.77
41.75	1,086.85	30.5	793.99	19.25	501.12	8	208.26
41.5	1,080.34	30.25	787.48	19	494.61	7.75	201.75
41.25	1,073.83	30	780.97	18.75	488.11	7.5	195.24
41	1,067.33	29.75	774.46	18.5	481.60	7.25	188.73
40.75	1,060.82	29.5	767.95	18.25	475.09	7	182.23
40.5	1,054.31	29.25	761.45	18	468.58	6.75	175.72
40.25	1,047.80	29	754.94	17.75	462.07	6.5	169.21
40	1,041.29	28.75	748.43	17.5	455.57	6.25	162.70
39.75	1,034.78	28.5	741.92	17.25	449.06	6	156.19
39.5	1,028.28	28.25	735.41	17	442.55	5.75	149.69
39.25	1,021.77	28	728.91	16.75	436.04	5.5	143.18
39	1,015.26	27.75	722.40	16.5	429.53	5.25	136.67
38.75	1,008.75	27.5	715.89	16.25	423.03	5	130.16
38.5	1,002.24	27.25	709.38	16	416.52	4.75	123.65
38.25	995.74	27	702.87	15.75	410.01	4.5	117.15
38	989.23	26.75	696.36	15.5	403.50	4.25	110.64
37.75	982.72	26.5	689.86	15.25	396.99	4	104.13
37.5	976.21	26.25	683.35	15	390.48	3.75	97.62
37.25	969.70	26	676.84	14.75	383.98	3.5	91.11
37	963.20	25.75	670.33	14.5	377.47	3.25	84.61
36.75	956.69	25.5	663.82	14.25	370.96	3	78.10
36.5	950.18	25.25	657.32	14	364.45	2.75	71.59
36.25	943.67	25	650.81	13.75	357.94	2.5	65.08

AP-1500/ 2400 Gal. Pump Tank Calibration Chart

2.25	58.57
2	52.06
1.75	45.56
1.5	39.05
1.25	32.54
1	26.03
0.75	19.52
0.5	13.02
0.25	6.51
0	0.00